

SIMATIC ET 200

分布式I/O

Product Type 产品类型	Sub type 分类	MLFB 订货号	Description 产品描述	L-Price in RMB (incl. VAT) 人民币列表价 (含税)
	接口模块	6ES71556AA010BN0	IM155-6 PN 标准型, 含服务模块和总线适配器BA 2×RJ45 (6ES71556AA000BN0升级型号)	3,128.03
		6ES71556AU010BN0	IM155-6 PN 标准型, 含服务模块, 不含总线适配器 (6ES71556AU000BN0升级型号)	2,551.06
		6ES71556AU010CN0	IM155-6 PN/2 高性能型, 含服务模块, 不含总线适配器 (6ES71556AU000CN0升级型号)	3,183.31
		6ES71556BA010CN0	IM155-6 DP 高性能型, 含服务模块, 含DP接头(6ES7972-0BB70-0XA0)	3,380.05
		6ES71556AU000DN0	IM155-6 PN 高速型, 含服务模块, 不含总线适配器	4,468.93
		6ES71556AR000AN0	IM155-6 PN 基本型, 含服务模块, 集成2×RJ45接口	2,433.89
		6ES71556AU300CN0	IM 155-6 PN/3 高性能型, 3个端口, 2个总线适配器接口, 含服务模块, 不含总线适配器	5,803.74
		6ES71556MU000CN0	IM 155-6 MF 高性能型, 支持PROFINET, Ethernet IP, Modbus TCP, 含服务模块, 不含总线适配器	3,918.67
	总线适配器	6ES71936AR000AA0	总线适配器BA 2×RJ45	576.98
		6ES71936AF000AA0	总线适配器BA 2×FC快连式	753.82
		6ES71936AP000AA0	总线适配器BA 2×SCRJ光纤	3,346.88
		6ES71936AP400AA0	总线适配器BA 1×SCRJ光纤/1×FC快连式	2,735.64
		6ES71936AP200AA0	总线适配器BA 1×SCRJ光纤/1×RJ45	2,604.12
		6ES71936AG000AA0	总线适配器BA 2×LC玻璃光纤, 光纤最远距离2KM	3,346.88
		6ES71936AG200AA0	总线适配器BA 1×LC玻璃光纤/1×RJ45, 光纤最远距离2KM	2,604.12
		6ES71936AG400AA0	总线适配器BA 1×LC玻璃光纤/1×FC快连式, 光纤最远距离2KM	2,735.64
		6ES71936AM000AA0	总线适配器BA 2×M12	821.66
	ET 200AL 连接模块	6ES71936BN000NE0	ET 200SP连接基座 BU-SEND	631.12
		6ES71936AS000AA0	ET 200SP快连式连接适配器 BA-Send 1×FC	1,274.42
	开关量输入	6ES71316BF010BA0	8DI, 24VDC, 标准型, 适用A0型基座单元 (6ES71316BF000BA0升级型号)	570.35
		6ES71316BH010BA0	16DI, 24VDC, 标准型, 适用A0型基座单元 (6ES71316BH000BA0升级型号)	978.2
		6ES71316BF010AA0	8DI, 24VDC, 基本型, 适用A0型基座单元 (6ES71316BF000AA0升级型号)	542.71
		6ES71316BF000CA0	8DI, 24VDC, 高性能型, 适用A0型基座单元	660.97
		6ES71316BF000DA0	8DI, 24VDC, 高速型, 具有高速计数, 过采样等功能, 适用A0型基座单元	1,262.27
		6ES71316BF610AA0	8DI, 24VDC, 源型输入, 基本型, 适用A0型基座单元 (6ES71316BF600AA0升级型号)	578.08
		6ES71316TF000CA0	8DI, NAMUR, 高性能型, 适用A0型基座单元	2,813.02
		6ES71316CF000AU0	8DI, 24VAC..48VUC, 基本型, 适用U0型基座单元	838.33
		6ES71316FD010BB1	4DI, 120..230VAC, 标准型, 适用B1型基座单元 (6ES71316FD000BB1升级型号)	709.6
	6ES71326BD200BA0	4DO, 24VDC/2A, 标准型, 适用A0型基座单元	795.82	
	6ES71326BD200CA0	4DO, 24VDC/2A, 高性能型, 适用A0型基座单元	916.3	

开关量 输出	6ES71326BD200DA0	4DO, 24VDC/2A, 高速型, 具有PWM, 过采样等功能, 适用A0型基座单元	1,907.77
	6ES71326BF010AA0	8DO, 24VDC/0.5A, 基本型, 适用A0型基座单元 (6ES71326BF000AA0升级型号)	712.94
	6ES71326BF010BA0	8DO, 24VDC/0.5A, 标准型, 适用A0型基座单元 (6ES71326BF000BA0升级型号)	771.51
	6ES71326BF000CA0	8DO, 24VDC/0.5A, 高性能型, 适用A0型基座单元	828.99
	6ES71326BF610AA0	8DO, 24VDC/0.5A, 漏型输出, 基本型, 适用A0型基座单元 (6ES71326BF600AA0升级型号)	782.56
	6ES71326BH010BA0	16DO, 24VDC/0.5A, 标准型, 适用A0型基座单元 (6ES71326BH000BA0升级型号)	1,131.84
	6ES71326BH000AA0	16DO, 24VDC/0.5A, 基本型, 适用A0型基座单元	1,088.22
	6ES71326FD000BB1	4DO, 24..230VAC/2A, 标准型, 适用B1型基座单元	1,229.12
	6ES71326FD000CU0	4DO, 24..230VAC/2A, 高性能型, 支持电能控制功能, 适用U0型基座单元	2,473.41
继电器 输出	6ES71326HD010BB1	4RO, 120VDC-230VAC/5A NO, 标准型, 适用B0或B1型基座单元 (6ES71326HD000BB1升级型号)	740.55
	6ES71326GD510BA0	4RO, 24VDC/2A, CO, 标准型, 适用A0型基座单元 (6ES71326GD500BB1升级型号)	565.93
	6ES71326MD000BB1	4RO, 120VDC-230VAC/5A NO, 标准型, 带手动置位, 适用B0或B1型基座单元	1,446.85
模拟量 输入	6ES71346GB000BA1	2AI, I, 2/4-WIRE, 标准型, 适用A0或A1型基座单元	1,646.91
	6ES71346FB000BA1	2AI, U, 标准型, 适用A0或A1型基座单元	1,646.91
	6ES71346GD010BA1	4AI, I, 2/4-WIRE, 标准型, 适用A0或A1型基座单元 (6ES71346GD000BA1升级型号)	2,254.84
	6ES71346HD010BA1	4AI, U/I, 2-WIRE, 标准型, 适用A0或A1型基座单元 (6ES71346HD000BA1升级型号)	2,254.84
	6ES71346GF000AA1	8AI, I, 2/4-WIRE, 基本型, 适用A0或A1型基座单元	2,609.65
	6ES71346FF000AA1	8AI, U, 基本型, 适用A0或A1型基座单元	2,609.65
	6ES71346HB000DA1	2AI, U/I, 2/4-WIRE, 高速型, 适用A0或A1型基座单元	3,188.84
	6ES71346HB000CA1	2AI, U/I, 2/4-WIRE, 高性能型, 适用A0或A1型基座单元	2,603.02
	6ES71346JD000CA1	4AI, RTD/TC, 2/3/4-WIRE, 高性能型, 适用A0或A1型基座单元	2,498.01
	6ES71346JF000CA1	8AI, RTD/TC 2-WIRE, 高性能型, 适用A0或A1型基座单元	3,720.49
	6ES71346JD000DA1	4AI, TC, 高速型, 适用A0或A1型基座单元	2,901.86
	6ES71346PA010CU0	电能测量模块, CT, 高性能型, 适用U0型基座单元	3,765.97
	6ES71346PA010BU0	电能测量模块, CT, 标准型, 适用U0型基座单元	2,164.21
模拟量 输出	6ES71356GB000BA1	2AO, I, 标准型, 适用A0或A1型基座单元	1,859.14
	6ES71356FB000BA1	2AO, U, 标准型, 适用A0或A1型基座单元	1,859.14
	6ES71356HD000BA1	4AO, U/I, 标准型, 适用A0或A1型基座单元	2,498.01
	6ES71356HB000DA1	2AO, U/I, 高速型, 适用A0或A1型基座单元	3,188.84
	6ES71356HB000CA1	2AO, U/I, 高性能型, 适用A0或A1型基座单元	2,603.02
通信模 块	6ES71376AA010BA0	支持ASCII, 3964R, USS, Modbus, 适用A0型基座单元	3,531.47
	6ES71376BD000BA0	IO-LINK主站模块, CM 4×IO-LINK, 适用A0型基座单元	2,564.32
	6ES71376CA000BU0	CM 1x DALI, DALI 主站模块, 适用U0型基座单元	2,592.55
工艺模	6ES71386AA010BA0	TM Count 1×24 V, 高速计数模块, 适用A0型基座单元	2,283.59
	6ES71386BA010BA0	TM POSINPUT 1, 计数及位置检测模块, 支持SSI绝对值编码器, 适用A0型基座单元	2,609.65

	块	6ES71386CG000BA0	TM TIMER DIDQ 10×24V, 高速计数, 时间戳, PWM, 过采样, 适用A0型基座单元	3,284.99
		6ES71386DB000BB1	TM PULSE 2×24V, PWM, 脉冲输出, 适用B1型基座单元	3,849.81
ET 200 SP	基座单元 (用于IO模块)	6ES71936BP000BA0	BU15-P16+A0+2B, 类型A0	171.34
		6ES71936BP000DA0	BU15-P16+A0+2D, 类型A0, 用于形成新的负载组	281.86
		6ES71936BP200BA0	BU15-P16+A10+2B, 类型A0, 带有10个辅助端子	229.89
		6ES71936BP200DA0	BU15-P16+A10+2D, 类型A0, 带有10个辅助端子, 用于形成新的负载组	340.43
		6ES71936BP000BA1	BU15-P16+A0+2B/T, 类型A1, 带有温度测量	237.65
		6ES71936BP000DA1	BU15-P16+A0+2D/T, 类型A1, 带有温度测量, 用于形成新的负载组	348.18
		6ES71936BP400BA1	BU15-P16+A0+12B/T, 类型A1, 带有温度测量, 带有2×5个辅助端子	294.02
		6ES71936BP400DA1	BU15-P16+A0+12D/T, 类型A1, 带有温度测量, 带有2×5个辅助端子, 形成新负载组	404.55
		6ES71936BP200BB0	BU20-P12+A4+0B, 类型B0, 适用于20mm继电器输出模块	223.27
		6ES71936BP200DC0	BU20-P6+A2+4D, 类型C0, 适用于AS-i主站模块及安全型电源模块	366.97
		6ES71936BP000BD0	BU20-P12+A0+0B, 类型D0, 适用于电能测量模块	247.28
		6ES71936BP200BB1	BU20-P12+A0+4B, 类型B1, 适用于继电器模块, 脉冲输出及交流输入/输出模块	236.53
		6ES71936BP200BC1	BU20-P6+A2+4B, 类型C1, 适用于安全型AS-i主站模块	236.53
		6ES71936BP200BF0	BU20-P8+A4+0B, 类型F0, 适用于安全型继电器输出模块	236.53
		6ES71936BP000DU0	BU20-P16+A0+2D, 类型U0, 用于形成新的负载组	381.32
		6ES71936BP000BU0	BU20-P16+A0+2B, 类型U0	252.49
		ET 200 S	ET 200S CPU	6ES71518AB010AB0
6ES71517AA210AB0	IM151-7 CPU			9,675.44
DP主站 模块	6ES71384HA000AB0		用于ET 200S CPU	7,351.21
ET 200 S		6ES71511BA020AB0	IM151-1 DP HF	4,561.47
		6ES71513BA230AB0	IM151-3 PN 高性能型	4,561.47
	PM-E电 源模块	6ES71384CA010AA0	PM-E, DC 24V	195.5
		6ES71384CA600AB0	PM-E HF, DC 24V	589.65
		6ES71384CA500AB0	PM-E, DC 24- 48V	481.58
		6ES71384CB110AB0	PM-E, DC 24- 48V/AC 120- 230V	513.35
	用于 PM-E的 端子模 块	6ES71934CE000AA0	TM-P15S22-01, 2×2 螺钉型端子, 无 AUX 端子	102
		6ES71934CE100AA0	TM-P15C22-01, 2×2 弹簧型端子, 无 AUX 端子	102.83
		6ES71934CD200AA0	TM-P15S23-A0, 2×3 螺钉型端子, 与前面的 AUX 断开	110.35
		6ES71934CC200AA0	TM-P15S23-A1, 2×3 螺钉型端子, 与前面的 AUX 连接	110.35
		6ES71934CD300AA0	TM-P15C23-A0, 2×3 弹簧型端子, 与前面的 AUX 断开	111.26
		6ES71934CC300AA0	TM-P15C23-A1, 2×3 弹簧型端子, 与前面的 AUX 连接	111.26
		6ES71314BB010AA0	2DI, DC 24V, ST, 5PCS	1,125.25
		6ES71314BB010AB0	2DI, DC 24V, HF, 5PCS	1,619.55

ET 200 S	开关量 输入	6ES71314BD010AA0	4DI, DC 24V, ST, 5PCS	1,848.43
		6ES71314BD010AB0	4DI, DC 24V, HF, 5PCS	2,544.56
		6ES71314BF000AA0	8DI, DC 24V, ST	634.16
		6ES71314EB000AB0	2DI, AC 120V, 5PCS	2,574.76
		6ES71314FB000AB0	2DI, AC 230V, 5PCS	2,574.76
		6ES71314CD020AB0	4DI, UC 24...48V, 5PCS	2,949.85
		6ES71314RD020AB0	4DI, DC 24V, NAMUR	1,942.32
		6ES71314BF500AA0	8DI, DC 24V, 源型输入	634.16
	开关量 输出	6ES71324BB010AA0	2DO, DC 24V, 0.5A, ST, 5PCS	1,578.24
		6ES71324BB010AB0	2DO, DC 24V, 0.5A, HF, 5PCS	2,172.66
		6ES71324BB310AA0	2DO, DC 24V, 2A, ST, 5PCS	2,852.91
		6ES71324BB310AB0	2DO, DC 24V, 2A, HF, 5PCS	3,453.68
		6ES71324BD020AA0	4DO, DC 24V, 0.5A, ST, 5PCS	2,512.78
		6ES71324BD000AB0	4DO, DC 24V, 0.5A, HF, 5PCS	2,852.91
		6ES71324BD320AA0	4DO, DC 24V, 2A, ST, 5PCS	4,863.43
		6ES71324BD300AB0	4DO, DC 24V, 2A, HF, 5PCS	5,133.64
		6ES71324BF000AA0	8DO, DC 24V, 0.5A, ST	732.7
		6ES71324BF000AB0	8DO, DC 24V, 0.5A, HF	791.51
		6ES71324FB010AB0	2DO, AC, 24- 230V, 5PCS	4,609.14
6ES71324HB010AB0	2RO, DC 24V- AC 230V, 5A, 5PCS	2,512.78		
6ES71324HB130AB0	2RO, DC 24- 48V/AC 24- 230V, 5A, 5PCS (6ES71324HB120AB0升级型号)	3,337.65		
6ES71324BF500AA0	8DO, DC 24V/0.5A, 漏形	732.7		
ET 200 S	模拟量 输入	6ES71344FB010AB0	2AI, U, ST	1,896.10
		6ES71344LB020AB0	2AI, U, HF	2,527.07
		6ES71344FB520AB0	2AI, U, HS	4,180.01
		6ES71344GB010AB0	2AI, I, ST, 2-WIRE	1,896.10
		6ES71344GB520AB0	2AI, I, HS, 2-WIRE	4,180.01
		6ES71344GB110AB0	2AI, I, ST, 4-WIRE	1,896.10
		6ES71344GB620AB0	2AI, I, HS, 4-WIRE	4,180.01
		6ES71344MB020AB0	2AI, I, HF, 2/4-WIRE	2,527.07
		6ES71344JB510AB0	2AI, RTD, ST	2,706.66
		6ES71344NB510AB0	2AI, RTD, HF	2,706.66
		6ES71344NB010AB0	2AI, TC, HF	2,675.40
		6ES71344GD000AB0	4AI, I, ST, 2-WIRE	3,009.82
		6ES71344JD000AB0	4AI, TC, ST	3,129.43

模拟量输出	6ES71354FB010AB0	2AO, U, ST	1,880.22
	6ES71354LB020AB0	2AO, U, HF	2,527.07
	6ES71354FB520AB0	2AO, U, HS	4,180.01
	6ES71354GB010AB0	2AO, I, ST	1,880.22
	6ES71354MB020AB0	2AO, I, HF	2,527.07
	6ES71354GB520AB0	2AO, I, HS	4,180.01
功能模块	6ES71384DA040AB0	1 COUNT 24V/100KHZ	2,949.85
	6ES71384DE020AB0	1 COUNT 5V/500KHZ	3,762.30
	6ES71384DD010AB0	2 Pulse	4,392.97
	6ES71384DB030AB0	1 SSI, 25bit/1MHz	2,926.24
	6ES71384DC010AB0	1 STEP 5V/204KHz	4,736.29
	6ES71384DL000AB0	1 POS U	4,598.35
	6ES71384DF010AB0	1 SI, RS232/422/485, 3964R	4,180.32
	6ES71384DF110AB0	1 SI, MODBUS/USS	5,016.38
	6ES71384GA500AB0	4 SI IO-LINK	4,253.77
	6ES71384FD000AA0	4 POTDIS	286.72
	用于电子模块的端子模块	6ES71934CB200AA0	TM-E15S24-01, 2×4 端子, 螺钉型, 无 AUX 总线, 15 mm, 5 片包装
6ES71934CB300AA0		TM-E15C24-01, 2×4 端子, 弹簧型, 无 AUX 总线, 15 mm, 5 片包装	556.29
6ES71934CA200AA0		TM-E15S24-A1, 2×4 端子, 螺钉型, 带 AUX 总线, 15 mm, 5 片包装	550.13
6ES71934CA300AA0		TM-E15C24-A1, 2×4 端子, 弹簧型, 带 AUX 总线, 15 mm, 5 片包装	556.29
6ES71934CB000AA0		TM-E15S23-01, 2×3 端子, 螺钉型, 无 AUX 总线, 15 mm, 5 片包装	508.33
6ES71934CB100AA0		TM-E15C23-01, 2×3 端子, 弹簧型, 无 AUX 总线, 15 mm, 5 片包装	513.35
6ES71934CA400AA0		TM-E15S26-A1, 2×6 端子, 螺钉型, 带 AUX 总线, 15 mm, 5 片包装	740.64
6ES71934CA500AA0		TM-E15C26-A1, 2×6 端子, 弹簧型, 带 AUX 总线, 15 mm, 5 片包装	740.64
6ES71934CG200AA0		TM-E30S44-01, 4×4 端子, 螺钉型, 带 AUX 总线, 30 mm	409.67
6ES71934CG300AA0		TM-E30C44-01, 4×4 端子, 弹簧型, 带 AUX 总线, 30 mm	413.23
6ES71934CF400AA0		TM-E30S46-A1, 4×6 端子, 螺钉型, 带 AUX 总线, 30 mm	476.55
6ES71934CF500AA0		TM-E30C46-A1, 4×6 端子, 弹簧型, 带 AUX 总线, 30 mm	481.58
6ES71934CL200AA0		TM-E15S24-AT, 螺钉型, 用于高性能 2 AI TC 内部温度补偿	300.98
6ES71934CL300AA0		TM-E15C24-AT, 弹簧型, 用于高性能 2 AI TC 内部温度补偿	303.58
35mm 导轨		6ES57108MA11	RAIL WIDTH 35MM, LENGTH 483MM
	6ES57108MA21	RAIL WIDTH 35MM, LENGTH 530MM	436.55
	6ES57108MA31	RAIL WIDTH 35MM, LENGTH 830MM	624.72
	6ES57108MA41	RAIL WIDTH 35MM, LENGTH 2000MM	1,011.60
	6ES71531AA030XA1	IM153-1 DP (6ES71531AA030XB0) and DP connector	4,287.26

ET
200
S

ET 200 M	IM接口 模块	6ES71531AA030XA4	IM153-1 DP (6ES71531AA030XB0) and DP connector	4,287.26
		6ES71531AA030XA5	IM153-1 DP (6ES71531AA030XB0) and DP connector (6ES79720BA520XA0)	4,287.26
		6ES71531AA030XB4	IM153-1 DP (6ES71531AA030XB0) and DP connector	4,457.51
		6ES71531AA030XB5	IM153-1 DP (6ES71531AA030XB0) and DP connector	4,457.51
		6ES71532BA020XA1	IM153-2 DP HF (6ES71532BA100XB0) and DPconnector (6ES79720BA120XA0)	6,221.93
		6ES71532BA020XA4	IM153-2 DP HF (6ES71532BA100XB0) and DPconnector (6ES79720BA420XA0)	6,221.93
		6ES71532BA020XA5	IM153-2 DP HF (6ES71532BA100XB0) and DPconnector (6ES79720BA520XA0)	6,221.93
		6ES71532BA020XB4	IM153-2 DP HF (6ES71532BA100XB0) and DPconnector (6ES79720BB420XA0)	6,392.18
		6ES71532BA020XB5	IM153-2 DP HF (6ES71532BA100XB0) and DPconnector (6ES79720BB520XA0)	6,392.18
		6ES71534AA010XB0	IM153-4 PN	3,836.21
		6ES71534BA000XB0	IM153-4 PN HF	6,020.73
		6ES71532AR030XA1	ET200M-RED.-BUNDLE (6ES71532AR040XA0) and two DP connectors (6ES79720BA120XA0)	12,474.82
		6ES71532AR030XA4	ET200M-RED.-BUNDLE (6ES71532AR040XA0) and two DP connectors (6ES79720BA420XA0)	12,474.82
		6ES71532AR030XA5	ET200M-RED.-BUNDLE (6ES71532AR040XA0) and two DP connectors (6ES79720BA520XA0)	12,474.82
		6ES71532AR030XB4	ET200M-RED.-BUNDLE (6ES71532AR040XA0) and two DP connectors (6ES79720BB420XA0)	12,815.33
	6ES71532AR030XB5	ET200M-RED.-BUNDLE (6ES71532AR040XA0) and two DP connectors (6ES79720BB520XA0)	12,815.33	
	有源安 装导轨	6ES71951GA000XA0	ET200M, RAIL 483MM	664.71
		6ES71951GF300XA0	ET200M, RAIL 530MM	731.37
		6ES71951GG300XA0	ET200M, RAIL 620MM	830.5
		6ES71951GC000XA0	ET200M, RAIL 2000MM	2,327.34
有源背 板	6ES71957HA000XA0	ET200M, BUS UNIT For PS AND IM 153	573.7	
	6ES71957HB000XA0	ET200M, BUS UNIT For 2×40MM I/O MODULES	1,279.86	
	6ES71957HC000XA0	ET200M, BUS UNIT For 1×80MM I/O MODULE	1,079.96	
	6ES71957HD100XA0	ET200M, BUS UNIT For 2×IM 153-2 RED.	1,745.50	
ET 200p ro	DP IM 接口模 块	6ES71541AA010AB0	IM154-1 DP ST	2,628.56
		6ES71542AA010AB0	IM154-1 DP HF	3,755.10
	DP IM 连接模 块	6ES71944AA000AA0	CM IM DP ECOFAST	1,047.55
		6ES71944AC000AA0	CM IM DP DIRECT	907.87
		6ES71944AD000AA0	CM IM DP M12 / 7/8"	977.69
	PN IM 接口模 块	6ES71544AB100AB0	IM154-4 PN HF	4,121.69
		6ES71543AB000AB0	IM154-3 PN HF	3,669.81
	PN IM 连接模 块	6ES71944AJ000AA0	CM IM PN M12 7/8"	977.69
		6ES71944AF000AA0	CM IM PN 2×RJ45	1,606.22
		6ES71944AG000AA0	CM IM PN 2×SCRJ FO	3,352.13
		6ES71944AK000AA0	CM IM PN M12 7/8" S	977.69

CPU	6ES71548AB010AB0	IM154-8 PN/DP CPU	16,243.50
CPU连接模块	6ES71944AN000AA0	CM IM-CPU PN/DP M12 / 7/8"	1,547.55
开关量电子模块	6ES71414BF000AA0	EM 8DI, DC 24V, ST	977.69
	6ES71414BF000AB0	EM 8DI, DC 24V, HF	1,676.06
	6ES71414BH000AA0	EM 16DI, DC 24V	1,502.05
	6ES71424BD000AA0	EM 4DO, DC 24 V/2.0A, ST	977.69
	6ES71424BD000AB0	EM 4DO, DC 24 V/2.0A, HF	1,466.54
	6ES71424BF000AA0	EM 8DO, DC 24 V/0.5A, ST	1,257.06
	6ES71434BF000AA0	EM 4DIO/4DO, DC 24V/0.5A	1,711.43
	6ES71434BF500AA0	EM 4DI/4DO, DC 24V/0.5A	1,140.95
	模拟量电子模块	6ES71444FF010AB0	EM 4AI U, HF
6ES71444GF010AB0		EM 4AI I, HF	3,072.78
6ES71444JF000AB0		EM 4AI RTD, HF	3,212.45
6ES71444PF000AB0		EM 4AI TC, HF	5,586.88
6ES71454FF000AB0		EM 4AO U, HF	3,352.13
6ES71454GF000AB0		EM 4AO I, HF	3,352.13
IO-Link模块	6ES71474JD000AB0	EM 4 IO-Link, HF	3,354.88
阀岛接口	6ES71484EA000AA0	16DO,PNEUMATIC INTERFACE CPV10	3,128.94
	6ES71484EB000AA0	16DO,PNEUMATIC INTERFACE CPV14	3,128.94
电子模块连接模块	6ES71944CA000AA0	CM IO 4×M12	447.09
	6ES71944CA500AA0	CM IO 4×M12 inverse	531.3
	6ES71944CB000AA0	CM IO 8×M12	628.52
	6ES71944CB500AA0	CM IO 8×M12D	977.69
	6ES71944EB000AA0	CM IO 8×M8	628.52
	6ES71944FA000AA0	CM IO 1×M23	628.52
	6ES71944FB000AA0	CM IO 2×M12	628.52
	6ES71944CA100AA0	CM IO 4×M12塑料材质	377.24
	6ES71944CB100AA0	CM IO 8×M12塑料材质	531.3
	6ES71944CA200AA0	CM 用于IO-Link 主站模块, 4×M12塑料材质	377.24
冷端补偿接头	6ES71944AB000AA0	COMPENSATION CONNECTOR	349.19
电源模块	6ES71484CA000AA0	PM-E DC24VDC	768.19
电源模块连接模块	6ES71944BA000AA0	CM PM-E ECOFAST CU DP	977.69
	6ES71944BC000AA0	CM PM-E DIRECT	907.87
	6ES71944BD000AA0	CM PM-E 7/8"	977.69
	6ES71944BE000AA0	CM PM-E Push-Pull	1,676.06

安装导轨	6ES71944GA000AA0	NARROW, L: 500MM	390.94	
	6ES71944GA200AA0	NARROW, L: 2000MM	1,005.10	
	6ES71944GA600AA0	NARROW, L: 1000MM	698.35	
	6ES71944GB000AA0	WIDE, L: 500MM	768.19	
	6ES71944GB200AA0	WIDE, L: 2000MM	1,871.89	
	6ES71944GB600AA0	WIDE, L: 1000MM	1,270.74	
	6ES71944GC700AA0	COMPACT,L: 500MM	447.09	
	6ES71944GC200AA0	COMPACT,L: 2000MM	1,117.38	
	6ES71944GC600AA0	COMPACT,L: 1000MM	754.5	
	6ES71944GD000AA0	COMPACT WIDE, L: 500MM	801.62	
	6ES71944GD200AA0	COMPACT WIDE, L: 2000MM	1,899.26	
	6ES71944GD100AA0	COMPACT WIDE, L: 1000MM	1,299.50	
	接口模块	6ES71571AA000AB0	PROFIBUS接口模块IM157-1 DP	2,962.68
		6ES71571AB000AB0	PROFNET接口模块IM157-1 PN	2,962.68
6ES71936BN000NE0		ET 200SP连接基座 BU-SEND	631.12	
6ES71936AS000AA0		ET 200SP快连式连接适配器 BA-Send 1×FC	1,274.42	
IO模块	6ES71415BF000BA0	DI 8×24VDC, 8×M8	1,417.41	
	6ES71435BF000BA0	DIQ 4+DQ 4×24VDC/0.5A, 8×M8	1,545.26	
	6ES71415AF000BA0	DI 8×24VDC, 4×M12	1,417.41	
	6ES71415AH000BA0	DI 16×24VDC, 8×M12	2,321.17	
	6ES71425AF000BA0	DQ 8×24VDC/2A, 8×M12	2,063.26	
	6ES71435AF000BA0	DIQ 4+DQ 4×24VDC/0,5A, 4×M12	1,545.26	
	6ES71435AH000BA0	DIQ 16×24VDC/0.5A, 8×M12	2,836.97	
	6ES71445KD000BA0	AI 4×U/I/RTD, 4×M12	3,220.58	
	6ES71445KD500BA0	AI 4×RTD/TC, 4×M12	3,605.79	
	6ES71455ND000BA0	AQ 4×U/I, 4×M12	3,610.69	
	6ES71475JD000BA0	CM 4×IO-LINK master, 4×M12	3,478.49	
	IO-Link模块	6ES71415BF000BL0	IO-Link, DI 8x24VDC, 8xM8	1,417.41
6ES71415AH000BL0		IO-Link, DI 16x24VDC, 8xM12	2,319.41	
6ES71425AF000BL0		IO-Link, DQ 8x24VDC/2A, 8xM12	2,061.69	
6ES71435BF000BL0		IO-Link, DIQ 4+DQ 4x24VDC/0,5A, 8xM8	1,546.28	
6ES71435AH000BL0		IO-Link, DIQ 16x24VDC/0,5A, 8xM12	2,836.12	
ET 200 AL	6ES71416BF000AB0	8 DI DC 24V; 4×M12	3,496.82	
	6ES71416BG000AB0	8 DI DC 24V; 8×M12	4,333.02	
	6ES71416BH000AB0	16 DI DC 24V; 8×M12	4,865.14	

ET 200eco PN	6ES71426BF500AB0	8 DO DC 24V/0.5A; 4×M12	3,800.87	
	6ES71426BF000AB0	8 DO DC 24 V/1.3A; 4×M12	4,028.95	
	6ES71426BG000AB0	8 DO DC 24 V/1.3A; 8×M12	4,849.95	
	6ES71426BR000AB0	8 DO DC 24 V/ 2A; 8×M12	6,308.75	
	6ES71426BH000AB0	16 DO DC 24 V/1.3A; 8×M12	5,625.32	
	6ES71476BG000AB0	8 DIO DC 24 V/1.3A; 8×M12	5,405.46	
	6ES71446KD000AB0	8 AI 4 U/I + 4 RTD/TC; 8×M12	6,688.77	
	6ES71446KD500AB0	8 AI RTD/TC; 8×M12	6,993.62	
	6ES71456HD000AB0	4 AO U/I; 4×M12	7,144.84	
	6ES71486JA000AB0	IO-LINK MASTER, 4IO-L + 8DI + 4DO 24V DC/1.3A 8×M12	6,840.80	
	6ES71486JD000AB0	IO-Link master, 4IO-L, 4×M12	6,004.70	
	6ES71486CB000AA0	PD DC 24 V; 1×7/8"	1,892.63	
	ET 200eco PN M12-L	6ES71416BH000BB0	16 DI DC 24V; M12-L, 8xM12	4,865.08
		6ES71416BG000BB0	8 DI DC 24V; M12-L, 8xM12	3,637.70
6ES71426BG000BB0		8 DO DC 24V/0.5A; M12-L, 8xM12	3,798.30	
6ES71426BR000BB0		8 DO DC 24V/2A; M12-L, 8xM12	4,849.90	
6ES71436BH000BB0		16 DIQ DC 24V/0.5A/2A; M12-L, 8xM12	5,625.18	
ET 200eco DP IO模块	6ES71413BF000XA0	8DI DC 24V	2,780.11	
	6ES71413BH000XA0	16DI DC 24V	3,025.24	
	6ES71423BF000XA0	8DO DC 24V/2A	3,273.77	
	6ES71423BH000XA0	16DO DC 24V/0.5A	3,685.12	
	6ES71433BH000XA0	8DI/8DO DC 24V/2A	3,599.43	
	6ES71433BH100XA0	8DI/8DO DC 24V/1.3A	3,513.73	
ET 200eco DP 连接块	6ES71943AA000AA0	ET 200eco DP, ECOFAST CONNECTING BLOCK	654.75	
	6ES71943AA000BA0	ET 200eco DP, M12, 7/8" CONNECTING BLOCK	654.75	
DP 连接头	6ES79720BA120XA0	DP CONNECTOR, 90 DEGREE, W/O PG SOCKET	508.05	
	6ES79720BB120XA0	DP CONNECTOR, 90 DEGREE, W PG SOCKET	677.42	
	6ES79720BA420XA0	DP CONNECTOR, 35 DEGREE, W/O PG SOCKET	507.38	
	6ES79720BB420XA0	DP CONNECTOR, 35 DEGREE, W PG SOCKET	677.42	
	6ES79720BA520XA0	DP CONNECTOR, 90 DEGREE, W/O PG SOCKET, FC	507.23	
	6ES79720BB520XA0	DP CONNECTOR, 90 DEGREE, W PG SOCKET, FC	676.12	
	6ES79720BA610XA0	DP CONNECTOR, 35 DEGREE, W/O PG SOCKET, FC	508.05	
	6ES79720BB610XA0	DP CONNECTOR, 35 DEGREE, W PG SOCKET, FC	677.42	
	6ES79720BA700XA0	PROFIBUS CONNECTOR, 90 DEGREE, W/O PG SOCKET	502.13	
	6ES79720BB700XA0	PROFIBUS CONNECTOR, 90 DEGREE, W PG SOCKET	663.63	